

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 9/23/2019 Revision date: 6/12/2023 Supersedes version of: 2/16/2022 Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: FIREPLACE #EU34857F
UFI	: 7NH3-J3XT-W00N-AE5R
Product code	: EU34857F
Type of product	: Perfumes, fragrances
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	:	Professional use,Industrial use
Industrial/Professional use spec	:	For professional use only
		Industrial
Use of the substance/mixture	:	Perfumes, fragrances
Function or use category	:	Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE International GmbH Mittlerer Weg 35 DE– 79424 Auggen Germany T 49-7631-931-8900 SDS@frenchcolor.com - www.frenchcolor.com

1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Skin sensitisation, Category 1	H317
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction. May be fatal if swallowed and enters airways.

2.2. Label elements



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains	: Cedarwood oil, Texas; Cedryl acetate; Iso E Super; Cedarwood oil, Virginia; Vertofix;
	Eugenol; Cinnamic aldehyde; Heliotropine; Cedar leaf oil; COUMARIN; Lemon oil ;
	Cinnamalva; Linalool
Hazard statements (CLP)	: H304 - May be fatal if swallowed and enters airways.
	H317 - May cause an allergic skin reaction.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
	P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.
	P302+P352 - IF ON SKIN: Wash with plenty of water.
Extra phrases	: For professional users only.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	5.4 – 10.7	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Cedarwood oil, Texas	CAS-No.: 68990-83-0 EC-No.: 294-461-7	3.5 – 7	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Cedryl acetate	CAS-No.: 77-54-3 EC-No.: 201-036-1	3-6	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	1.8 – 3.5	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Cedarwood oil, Virginia	CAS-No.: 8000-27-9 EC-No.: 285-370-3	1.8 – 3.5	Asp. Tox. 1, H304 Aquatic Chronic 1, H410
Vanillin	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040- 60	0.9 – 1.8	Eye Irrit. 2, H319

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
acetyl cedrene	CAS-No.: 32388-55-9 EC-No.: 251-020-3 REACH-no: 01-2119969651- 28	0.6 – 1.25	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	0.5 – 1	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 REACH-no: 01-2119935242- 45	0.5 – 1	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Heliotropine	CAS-No.: 120-57-0 EC-No.: 204-409-7 REACH-no: 01-2119983608- 21	0.2 - 0.4	Skin Sens. 1B, H317
Cedar leaf oil	CAS-No.: 8007-20-3 EC-No.: 290-370-1 REACH-no: 01-2120763401- 62	0.2 – 0.35	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.1 – 0.25	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Camphene	CAS-No.: 79-92-5 EC-No.: 201-234-8	0.1 – 0.15	Flam. Sol. 2, H228 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Lemon oil	CAS-No.: 8008-56-8 EC-No.: 284-515-8	0.1 – 0.15	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Cinnamalva	CAS-No.: 1885-38-7 EC-No.: 217-552-5	0.1 – 0.1	Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Sens. 1B, H317
Ethyl acetoacetate substance with national workplace exposure limit(s) (RO)	CAS-No.: 141-97-9 EC-No.: 205-516-1	0.1 – 0.1	Not classified
Allyl heptanoate	CAS-No.: 142-19-8 EC-No.: 205-527-1 REACH-no: 01-2119488961- 23	0.1 – 0.1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	0.1 – 0.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	 Call a physician immediately. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/stention.
First-aid measures after eye contact	 Rinse eyes with water as a precaution. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and effects	s, both acute and delayed
Symptoms/effects Symptoms/effects after skin contact Symptoms/effects after ingestion	 Not expected to present a significant hazard under anticipated conditions of normal use. May cause an allergic skin reaction. Risk of lung oedema.
4.3. Indication of any immediate medical a	attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide. Sand.Do not use a heavy water stream.
5.2. Special hazards arising from the subst	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective	equipment and emergency procedures		
6.1.1. For non-emergency personnel			
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Evacuate unnecessary personnel.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.		
Emergency procedures	: Ventilate area.		
6.2. Environmental precautions			
Avoid release to the environment. Prevent en	ntry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.		

6.3. Methods and material for contain	iment and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4 Reference to other sections	

For further information refer to section 13. See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store locked up.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	Store in a closed container.
Packaging materials 7.3. Specific end use(s)	: Do not store in corrodable metal.

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ethyl acetoacetate (141-97-9)	
Romania - Occupational Exposure Limits	
OEL TWA 100 mg/m ³	
OEL TWA [ppm]	19 ppm
OEL STEL	200 mg/m³
OEL STEL [ppm]	38 ppm

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses. Chemical goggles or safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection: Protective gloves. Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and che	emical properties		
Physical state	: Liquid		
Colour Odour	: light yellow. amber. Conforms to standard. : characteristic.		
Odour Odour threshold	: Characteristic. : Not available		
Melting point Freezing point	: Not applicable : Not available		
Boiling point	: Not available		
Flammability	: Not applicable		
Explosive limits	: Not available		
Lower explosion limit	: Not available		
Upper explosion limit	: Not available		
Flash point	: >93 °C		
Auto-ignition temperature	Not available		
Decomposition temperature	: Not available		
pH	: Not available		
' Viscosity, kinematic	: Not available		
Solubility	: Not available		
Partition coefficient n-octanol/water (Log Kow)	: Not available		
Vapour pressure	: Not available		
Vapour pressure at 50°C	: Not available		
Density	: Not available		
Relative density	: ≈ 0.95		
Relative vapour density at 20°C	: Not available		
Particle characteristics	: Not applicable		

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions. Not established.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acute toxicity (dermal) : Not classified	SECTION 11: Toxicological information			
Acute doukly (hymisality)Not dessified Not dessified <br< th=""><th>11.1. Information on hazard classes as define</th><th>d in Regulation (EC) No 1272/2008</th></br<>	11.1. Information on hazard classes as define	d in Regulation (EC) No 1272/2008		
Lösö ari rat500 mg/kgLösö oral1160 mg/kg bodyweightLösö darmal rabbit4000 mg/kgCodryl acotate (77-54-3)4730 mg/kgCodarwood oil, Virginia (8000-27-9)5 g/kgLösö oral rat> 5 g/kgCodarwood oil, Virginia (8000-27-9)> 5 g/kgLösö oral rat> 5 g/kgCodarwood oil, Virginia (8000-27-9)> 5 g/kgLösö oral rat> 5 g/kgLösö oral rat> 5 g/kgLösö oral rat> 5010 mg/kgLösö orana> 5000 mg/kg bodyweightLösö orana> 5000 mg/kg bodyweightLösö oral rat1930 mg/kgLösö oral rat1930 mg/kgLösö oral rat2000 mg/kg bodyweightLösö oral rat1930 mg/kgLösö oral rat2220 mg/kgLösö oral rat2200 mg/kg bodyweightLösö oral rat2200 mg/kg bodyweightLösö oral rat2200 mg/kg bodyweightLösö oral rat2700 mg/kgLösö oral rat2700 mg/kgLösö oral rat2700 mg/kgLösö oral rat2700 mg/kgLösö oral rat300 mg/kg bodyweightLösö oral rat300 mg/kg bodyweightLösö oral rat300 mg/kg bodyweightLösö oral rat300 mg/kg bodyweightLösö oral	Acute toxicity (dermal) :	Not classified		
L050 oral 1160 mg/kg bodyweight L050 dermal rabbit 4000 mg/kg Codryl acotate (77-54-3) 4750 mg/kg L050 oral rat 4750 mg/kg Cedanwood oil, Virginia (8000-27-9) 5 g/kg L050 oral rat > 5 g/kg Vanilin (121-33-5) 2000 mg/kg bodyweight L050 oral rat > 5010 mg/kg L050 oral rat > 5000 mg/kg bodyweight L050 oral rat 4500 mg/kg bodyweight L050 oral rat 5000 mg/kg bodyweight L050 oral rat 1300 mg/kg L050 oral rat 1300 mg/kg L050 oral rat 2000 mg/kg bodyweight L050 oral rat 1300 mg/kg L050 oral rat 2000 mg/kg bodyweight L050 oral rat 2000 mg/kg bodyweight L050 oral rat 200 mg/kg bod	Benzyl benzoate (120-51-4)			
L050 damai rabbi 4000 mg/kg Cdcryl acctate (77-54-3) 44750 mg/kg L050 oral rat 44750 mg/kg Cdarwood oil, Virginia (8000-27-9) 5 g/kg L050 oral rat > 5 g/kg Vanilin (121-33-5) 2000 mg/kg bodyweight L050 oral rabbi 2000 mg/kg bodyweight L050 oral rabbi 5000 mg/kg bodyweight L050 oral rabbi 2000 mg/kg bodyweig	LD50 oral rat	500 mg/kg		
Coding Coding Coding acciate (77-54-3) 44750 mg/kg Codamod oil, Virginia (8000-27-9) > L050 oral rat > 5g /kg Vanillin (121-33-5) 2600 mg/kg bodyweight L050 oral rat > 5010 mg/kg bodyweight acceyl cedrene (32388-55-9) 2000 mg/kg bodyweight L050 oral rat 4500 mg/kg bodyweight L050 oral rat abbit > 6000 mg/kg bodyweight L050 oral rat 4500 mg/kg bodyweight L050 oral rat 1930 mg/kg L050 oral rat 2000 mg/kg bodyweight L050 oral rat 800 mg/kg bodyweight	LD50 oral	1160 mg/kg bodyweight		
L050 oral rat 44750 mg/kg Codarwood oli, Virginia (8000-27-9) > L050 oral rat > 5g kg Vanillin (121-33-5) > L050 darmal rabbit > 5010 mg/kg bodyweight acetyl codrene (32388-55-9) > L050 oral rat 4500 mg/kg bodyweight b050 oral rat bit > 5000 mg/kg bodyweight L050 oral rat bit 9300 mg/kg bodyweight L050 oral rat 109/-53-0 > L050 oral rat 2000 mg/kg bodyweight > <t< td=""><td>LD50 dermal rabbit</td><td>4000 mg/kg</td></t<>	LD50 dermal rabbit	4000 mg/kg		
Codarwood oil, Virginia (8000-27-9) > 5 g/kg LD50 oral rat > 5 g/kg Vanillin (121-33-5) 2600 mg/kg bodyweight LD50 dermal rabbit > 5010 mg/kg LD50 oral rat 2600 mg/kg bodyweight acctyl codrene (32388-55-9) 2000 mg/kg bodyweight LD50 oral rat 5000 mg/kg bodyweight LD50 oral rat 1930 mg/kg LD50 oral rat 25000 mg/kg bodyweight LD50 oral rat 2500 mg/kg bodyweight LD50 oral rat 2500 mg/kg bodyweight LD50 oral rat 2200 mg/kg bodyweight LD50 oral rat 2700 mg/kg bodyweight LD50 oral rat 2700 mg/kg bodyweight LD50 oral rat > 5000 mg/kg LD50 oral rat > 5000 mg/kg LD50 oral rat > 5000 mg/kg LD50 oral rat 801 mg/kg bodyweight LD50 oral rat 801 mg/kg bodyweight LD5	Cedryl acetate (77-54-3)			
LD50 oral rat> 5 g/kgVarillin (121-33-5)LD50 dermal rabbit> 5010 mg/kg bodyweightacotyl codrone (32388-55-9)LD50 oral4500 mg/kg bodyweightLD50 oral5000 mg/kg bodyweightLD50 oral rat5000 mg/kg bodyweightLD50 oral rat1930 mg/kgLD50 oral rat2500 mg/kg bodyweightColspan="2">Colspan="2"Colspan="2"Colspan="2">Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2" <td c<="" td=""><td>LD50 oral rat</td><td>44750 mg/kg</td></td>	<td>LD50 oral rat</td> <td>44750 mg/kg</td>	LD50 oral rat	44750 mg/kg	
Vanillin (121-33-5) LD50 dermal rabbit > 5010 mg/kg LD50 dermal 2600 mg/kg bodyweight acetyl cedrene (32388-55-9) 4500 mg/kg bodyweight LD50 oral 4500 mg/kg bodyweight LD50 dermal rabbit > 6000 mg/kg Eugenol (97-53-0) 1930 mg/kg LD50 oral rat 1930 mg/kg LD50 oral rat 2500 mg/kg bodyweight LD50 oral rat 1930 mg/kg LD50 oral rat 2200 mg/kg bodyweight LD50 oral rat 2700 mg/kg bodyweight LD50 oral rat 2700 mg/kg bodyweight LD50 oral rat 2700 mg/kg bodyweight LD50 oral rat 830 mg/kg LD50 oral rat 830 mg/kg bodyweight LD50 oral rat 830 mg/kg bodyweight <td< td=""><td>Cedarwood oil, Virginia (8000-27-9)</td><td></td></td<>	Cedarwood oil, Virginia (8000-27-9)			
LD50 dermal rabbit> 6010 mg/kg bodyweightLD50 dermal6000 mg/kg bodyweightacetyl cedrene (32388-55-9)> 5000 mg/kg bodyweightLD50 oral> 5000 mg/kg bodyweightLD50 dermal rabbit> 5000 mg/kgEugenol (87-53-0)> 5000 mg/kg bodyweightLD50 oral rat1930 mg/kg bodyweightLD50 oral rat2000 mg/kg bodyweightLD50 oral rat2200 mg/kg bodyweightLD50 oral rat2200 mg/kg bodyweightLD50 oral rat2200 mg/kg bodyweightLD50 oral rat2200 mg/kg bodyweightLD50 oral rat200 mg/kg bodyweightLD50 oral rat2700 mg/kg bodyweightLD50 oral rat2700 mg/kg bodyweightLD50 oral rat2700 mg/kg bodyweightLD50 oral rat2700 mg/kg bodyweightLD50 oral rat300 mg/kg bodyweightLD50 oral rat830 mg/kgLD50 oral rat830 mg/kg bodyweightLD50 oral rat300 mg/kg bodyweightLD50 oral rat300 mg/kg bodyweightLD50 oral rat300 mg/kg bodyweightLD50 oral rat300 mg/kg bodyweightLD50 oral rat5000 mg/kgLD50 oral rat300 mg/kg bodyweightLD50 oral rat300 mg/kg bodyweightLD50 oral rat300 mg/kg bodyweightLD50 oral rat5000 mg/kgLD50 oral rat5000 mg/kgLD50 oral rat900 mg/kg bodyweightLD50 oral rat900 mg/kg bodyweightLD50 oral rat900 mg/kg bodyweight	LD50 oral rat	> 5 g/kg		
Defende and the second secon	Vanillin (121-33-5)			
acetyl cedrene (32388-55-9) LD50 oral 4500 mg/kg bodyweight LD50 dermal rabbit > 5000 mg/kg Eugenol (97-53-0) 1930 mg/kg LD50 oral rat 1930 mg/kg LD50 oral rat 2500 mg/kg bodyweight Cinnamic aldehyde (104-55-2) 220 mg/kg LD50 oral rat 2220 mg/kg LD50 oral rat 2220 mg/kg LD50 oral rat 2200 mg/kg bodyweight LD50 oral rat 2700 mg/kg LD50 oral rat 830 mg/kg LD50 oral rat 830 mg/kg LD50 oral rat 830 mg/kg bodyweight LD50 oral rat 830 mg/kg bodyweight LD50 oral rat \$5000 mg/kg LD50 oral rat \$5000 mg/kg LD50 oral rat \$5000 mg/kg	LD50 dermal rabbit	> 5010 mg/kg		
L550 oral4500 mg/kg bodyweightLD50 dermal rabbit> 5000 mg/kgEugenol (97-53-0)LD50 oral rat1930 mg/kgLD50 oral rat2500 mg/kg bodyweightCinnamic aldehyde (104-55-2)LD50 oral rat2200 mg/kgLD50 oral rat2200 mg/kg bodyweightLD50 oral rat1260 mg/kgLD50 oral rat1260 mg/kgLD50 oral rat1000 mg/kg bodyweightLD50 oral rat2700 mg/kg bodyweightLD50 oral rat700 mg/kgLD50 oral rat2700 mg/kg bodyweightLD50 oral rat2700 mg/kg bodyweightLD50 oral rat2700 mg/kg bodyweightLD50 oral rat830 mg/kg bodyweightLD50 oral rat9500 mg/kg bodyweightLD50 oral rat830 mg/kg bodyweightLD50 oral rat830 mg/kg bodyweightLD50 oral rat830 mg/kg bodyweightLD50 oral rat9500 mg/kg bodyweight<	LD50 dermal	2600 mg/kg bodyweight		
LD50 dermal rabbit > 5000 mg/kg Eugenol (97-53-0) 1930 mg/kg LD50 oral rat 1930 mg/kg LD50 oral rat 2500 mg/kg bodyweight Cinnamic aldehyde (104-55-2) 2200 mg/kg LD50 oral rat 2200 mg/kg bodyweight LD50 oral rat 1260 mg/kg LD50 dermal rabbit 1260 mg/kg LD50 dermal rabbit 1260 mg/kg LD50 dermal rabbit 1000 mg/kg bodyweight LD50 dermal rabbit 1000 mg/kg bodyweight LD50 dermal rabbit 2700 mg/kg LD50 dermal rabbit 700 mg/kg LD50 dermal rat 2700 mg/kg bodyweight LD50 oral rat 830 mg/kg LD50 oral rat 5000 mg/kg LD50 oral rat 830 mg/kg LD50 oral rat 830 mg/kg bodyweight LD50 oral rat 900 mg/kg bodyweight	acetyl cedrene (32388-55-9)			
Eugenol (97-53-0)LD50 oral rat1930 mg/kgLD50 oral rat2600 mg/kg bodyweightCinnanic aldehyde (104-55-2)2220 mg/kgLD50 oral rat2220 mg/kgLD50 oral rat2200 mg/kg bodyweightLD50 oral rat1260 mg/kgLD50 dermal rabbit1260 mg/kgLD50 dermal rabbit100 mg/kg bodyweightLD50 oral rat2700 mg/kg bodyweightLD50 oral rat2700 mg/kg bodyweightLD50 oral rat2700 mg/kg bodyweightLD50 oral rat2700 mg/kg bodyweightLD50 oral rat5000 mg/kgCorrat rat830 mg/kgLD50 oral rat830 mg/kgLD50 oral rat830 mg/kgCorrat rat830 mg/kgLD50 oral rat830 mg/kgLD50 oral rat830 mg/kg bodyweightLD50 oral rat9500 mg/kg bodyweightLD50 oral rat9500 mg/kg bodyweightLD50 oral rat9500 mg/kgLD50 oral rat	LD50 oral	4500 mg/kg bodyweight		
LD50 oral rat1930 mg/kgLD50 oral2500 mg/kg bodyweightCinnamic aldehyde (104-55-2)LD50 oral rat2200 mg/kgLD50 oral rat2200 mg/kg bodyweightLD50 oral rat2000 mg/kg bodyweightLD50 dermal rabbit1600 mg/kg bodyweightLD50 dermal rabbit1000 mg/kg bodyweightLD50 oral rat2700 mg/kg bodyweightLD50 oral rat2700 mg/kg bodyweightLD50 oral rat2700 mg/kg bodyweightLD50 oral rat2700 mg/kg bodyweightLD50 oral rat800 mg/kgLD50 oral rat800 mg/kgLD50 oral rat800 mg/kgLD50 oral rat800 mg/kgLD50 oral rat800 mg/kg bodyweightLD50 oral rat100 mg/kg bodyweightLD50 oral rat800 mg/kgLD50 oral rat800 mg/kg bodyweightLD50 oral rat800 mg/kg bodyweightLD50 oral rat900 mg/kg bodyweightLD50 oral rat900 mg/kg bodyweightLD50 oral rat900 mg/kg bodyweightLD50 oral rat900 mg/kg bodyweightCOUMARIN (91-64-5)900 mg/kg bodyweightLD50 oral rat900 mg/kg bodyweightLD50 oral rat900 mg/kg bodyweight	LD50 dermal rabbit	> 5000 mg/kg		
LD50 oral 2600 mg/kg bodyweight Cinnamic aldehyde (104-55-2) 220 mg/kg LD50 oral rat 2200 mg/kg bodyweight LD50 oral rat 2600 mg/kg bodyweight LD50 dermal rabbit 1600 mg/kg bodyweight LD50 dermal rabbit 1000 mg/kg bodyweight LD50 oral rat 2700 mg/kg bodyweight LD50 oral rat 800 mg/kg LD50 oral rat 800 mg/kg bodyweight LD50 oral rat 800 mg/kg bodyweight LD50 oral rat 800 mg/kg bodyweight LD50 oral rat 900 mg/kg bodyweight LD50 oral rat 900 mg/kg bodyweight LD50 oral rat 9000 mg/kg bodyweight LD50 oral rat 900 mg/kg bodyweight LD50 oral rat 9000 mg/kg	Eugenol (97-53-0)			
Cinnamic aldehyde (104-55-2)LD50 oral rat2220 mg/kgLD50 oral rat2200 mg/kg bodyweightLD50 dermal rabbit1260 mg/kgLD50 dermal1100 mg/kg bodyweightHeitotropine (120-57-0)2700 mg/kgLD50 oral rat2700 mg/kgLD50 oral rat2700 mg/kg bodyweightLD50 oral rat2700 mg/kg bodyweightLD50 oral rat5000 mg/kgLD50 oral rat5000 mg/kgLD50 oral rat830 mg/kgLD50 oral rat830 mg/kg bodyweightLD50 oral rat830 mg/kg bodyweightLD50 oral rat830 mg/kg bodyweightLD50 oral rat5000 mg/kg bodyweightLD50 oral rat5000 mg/kg bodyweightLD50 oral rat5000 mg/kg bodyweightLD50 oral rat830 mg/kg bodyweightLD50 oral rat200 mg/kg bodyweightLD50 oral rat200 mg/kg bodyweightLD50 oral rat5000 mg/kgLD50 oral rat200 mg/kg bodyweightLD50 oral rat200 mg/kg bodyweight	LD50 oral rat	1930 mg/kg		
LD50 oral rat220 mg/kgLD50 oral A2200 mg/kg bodyweightLD50 dermal rabbit1260 mg/kgLD50 dermal A1100 mg/kg bodyweightHeliotropine (120-57-0)2700 mg/kgLD50 oral rat2700 mg/kg bodyweightLD50 oral rat2700 mg/kg bodyweightLD50 dermal rat5000 mg/kgCoder leaf oil (8007-20-3)830 mg/kg bodyweightLD50 oral rat630 mg/kg bodyweightLD50 oral rat830 mg/kg bodyweightLD50 oral rat630 mg/kg bodyweightLD50 oral rat630 mg/kg bodyweightLD50 oral rat5000 mg/kg bodyweightLD50 oral rat5000 mg/kg bodyweightLD50 oral rat5000 mg/kg bodyweightLD50 oral rat> 5000 mg/kg bodyweight	LD50 oral	2500 mg/kg bodyweight		
LD50 oral200 mg/kg bodyweightLD50 dermal rabbit260 mg/kgLD50 dermal1100 mg/kg bodyweightHeliotropine (120-57-0)LD50 oral rat2700 mg/kgLD50 oral rat2700 mg/kg bodyweightLD50 oral rat2700 mg/kg bodyweightLD50 dermal rat5000 mg/kgCedar leaf oil (8007-20-3)830 mg/kgLD50 oral rat830 mg/kgLD50 oral rat830 mg/kg bodyweightLD50 oral rat830 mg/kg bodyweightLD50 oral rat830 mg/kg bodyweightLD50 oral rat830 mg/kg bodyweightLD50 oral rat900 mg/kg bodyweightLD50 oral rat95000 mg/kg	Cinnamic aldehyde (104-55-2)			
LD50 dermal rabbit1260 mg/kgLD50 dermal1100 mg/kg bodyweightHeliotropine (120-57-0)2700 mg/kgLD50 oral rat2700 mg/kg bodyweightLD50 oral rat2700 mg/kg bodyweightLD50 dermal rat> 5000 mg/kgCedar leaf oil (8007-20-3)830 mg/kgLD50 oral rat830 mg/kg bodyweightLD50 oral rat830 mg/kg bodyweightLD50 oral rat830 mg/kg bodyweightLD50 oral rat830 mg/kg bodyweightLD50 oral rat800 mg/kg bodyweightLD50 oral rat900 mg/kg bodyweightLD50 oral rat900 mg/kg bodyweight	LD50 oral rat	2220 mg/kg		
LD50 dermal 1100 mg/kg bodyweight Heliotropine (120-57-0) 2700 mg/kg LD50 oral rat 2700 mg/kg bodyweight LD50 oral rat 2700 mg/kg bodyweight LD50 dermal rat > 5000 mg/kg Cedar leaf oil (8007-20-3) 830 mg/kg LD50 oral rat 830 mg/kg LD50 oral rat 830 mg/kg bodyweight LD50 oral rat 830 mg/kg bodyweight LD50 oral rat 5000 mg/kg bodyweight LD50 oral rat > 5000 mg/kg	LD50 oral	2200 mg/kg bodyweight		
Heliotropine (120-57-0) LD50 oral rat 2700 mg/kg LD50 oral rat 2700 mg/kg bodyweight LD50 dermal rat > 5000 mg/kg Cedar leaf oil (8007-20-3) LD50 oral rat 830 mg/kg LD50 oral rat 830 mg/kg bodyweight LD50 oral rat 830 mg/kg bodyweight LD50 oral rat 5000 mg/kg bodyweight LD50 oral rat 830 mg/kg bodyweight LD50 oral rat 5000 mg/kg bodyweight LD50 oral rat 900 mg/kg bodyweight	LD50 dermal rabbit	1260 mg/kg		
LD50 oral rat2700 mg/kgLD50 oral2700 mg/kg bodyweightLD50 dermal rat> 5000 mg/kgCedar leaf oil (8007-20-3)LD50 oral rat830 mg/kgLD50 oral rat830 mg/kg bodyweightLD50 oral rat830 mg/kg bodyweightLD50 dermal4100 mg/kg bodyweightCOUMARIN (91-64-5)> 5000 mg/kgLD50 oral rat> 5000 mg/kgLD50 oral rat> 5000 mg/kg	LD50 dermal	1100 mg/kg bodyweight		
LD50 oral 2700 mg/kg bodyweight LD50 dermal rat > 5000 mg/kg Cedar leaf oil (8007-20-3) LD50 oral rat 830 mg/kg LD50 oral rat 830 mg/kg bodyweight LD50 oral rat 830 mg/kg bodyweight LD50 oral rat 830 mg/kg bodyweight LD50 oral rat 5000 mg/kg bodyweight LD50 oral rat 900 mg/kg bodyweight	Heliotropine (120-57-0)			
LD50 dermal rat > 5000 mg/kg Cedar leaf oil (8007-20-3) LD50 oral rat 830 mg/kg LD50 oral rat 830 mg/kg bodyweight LD50 dermal 4100 mg/kg bodyweight COUMARIN (91-64-5) LD50 oral rat > 5000 mg/kg LD50 oral rat > 5000 mg/kg LD50 oral rat > 5000 mg/kg	LD50 oral rat	2700 mg/kg		
Cedar leaf oil (8007-20-3) LD50 oral rat 830 mg/kg LD50 oral 830 mg/kg bodyweight LD50 dermal 4100 mg/kg bodyweight COUMARIN (91-64-5) > 5000 mg/kg LD50 oral rat > 5000 mg/kg LD50 oral rat 290 mg/kg bodyweight	LD50 oral	2700 mg/kg bodyweight		
LD50 oral rat 830 mg/kg LD50 oral 830 mg/kg bodyweight LD50 dermal 4100 mg/kg bodyweight COUMARIN (91-64-5) LD50 oral rat > 5000 mg/kg LD50 oral rat 290 mg/kg bodyweight	LD50 dermal rat	> 5000 mg/kg		
LD50 oral 830 mg/kg bodyweight LD50 dermal 4100 mg/kg bodyweight COUMARIN (91-64-5) LD50 oral rat > 5000 mg/kg LD50 oral rat > 900 mg/kg bodyweight	Cedar leaf oil (8007-20-3)			
LD50 dermal 4100 mg/kg bodyweight COUMARIN (91-64-5) LD50 oral rat > 5000 mg/kg LD50 oral 290 mg/kg bodyweight	LD50 oral rat	830 mg/kg		
COUMARIN (91-64-5) LD50 oral rat > 5000 mg/kg LD50 oral 290 mg/kg bodyweight	LD50 oral	830 mg/kg bodyweight		
LD50 oral rat > 5000 mg/kg LD50 oral 290 mg/kg bodyweight	LD50 dermal	4100 mg/kg bodyweight		
LD50 oral 290 mg/kg bodyweight	COUMARIN (91-64-5)	COUMARIN (91-64-5)		
	LD50 oral rat	> 5000 mg/kg		
LD50 dermal rat 293 mg/kg	LD50 oral	290 mg/kg bodyweight		
	LD50 dermal rat	293 mg/kg		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Camphene (79-92-5)	
LD50 oral rat	5600 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Lemon oil (8008-56-8)	
LD50 oral rat	2840 mg/kg
Cinnamalva (1885-38-7)	·
LD50 oral	100 mg/kg bodyweight
LD50 dermal	1100 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h
Ethyl acetoacetate (141-97-9)	I.
LD50 oral rat	3980 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Allyl heptanoate (142-19-8)	I
LD50 oral rat	500 mg/kg
LD50 oral	218 mg/kg bodyweight
LD50 dermal rabbit	810 mg/kg
LD50 dermal	810 mg/kg bodyweight
Linalool (78-70-6)	
LD50 oral	2790 mg/kg bodyweight
Skin corrosion/irritation :	Not classified
Serious eye damage/irritation :	Not classified
Respiratory or skin sensitisation :	May cause an allergic skin reaction.
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified
Eugenol (97-53-0)	
IARC group	3 - Not classifiable
COUMARIN (91-64-5)	
IARC group	3 - Not classifiable
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
STOT-repeated exposure :	Not classified
Aspiration hazard :	May be fatal if swallowed and enters airways.
Benzyl benzoate (120-51-4)	
Viscosity, kinematic	7.456 mm²/s
Heliotropine (120-57-0)	
Viscosity, kinematic	Not applicable
11.2. Information on other hazards	

11.2.1. Endocrine disrupting properties

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information				
12.1. Toxicity				
Ecology - general : Hazardous to the aquatic environment, short-term : (acute) Hazardous to the aquatic environment, long-term :	Toxic to aquatic life with long lasting effects. Not classified Toxic to aquatic life with long lasting effects.			
(chronic) Benzyl benzoate (120-51-4)				
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])			
NOEC (chronic)	0.168 mg/l			
Vanillin (121-33-5)				
LC50 - Fish [1]	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])			
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])			
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])			
Eugenol (97-53-0)				
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])			
Heliotropine (120-57-0)				
LC50 - Fish [1]	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static])			
Camphene (79-92-5)				
LC50 - Fish [1]	0.72 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [flow-through])			
LC50 - Fish [2]	150 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])			
EC50 - Crustacea [1]	22 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
EC50 72h - Algae [1]	> 1000 mg/l (Species: Desmodesmus subspicatus)			
Ethyl acetoacetate (141-97-9)				
LC50 - Fish [1]	298 mg/l (Exposure time: 96 h - Species: Pimephales promelas)			
LC50 - Fish [2]	290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)			
EC50 - Crustacea [1]	646 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)			
Linalool (78-70-6)				
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)			
12.2. Persistence and degradability				
FIREPLACE #EU34857F				
Persistence and degradability	Not established.			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Cedarwood oil, Texas (68990-83-0)		
Persistence and degradability Not established.		
12.3. Bioaccumulative potential		
FIREPLACE #EU34857F		
Bioaccumulative potential	Not established.	
Benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)	
Bioaccumulative potential	Not established.	
Cedarwood oil, Texas (68990-83-0)		
Bioaccumulative potential	Not established.	
Cedryl acetate (77-54-3)		
Partition coefficient n-octanol/water (Log Pow)	6 (at 25 °C)	
Vanillin (121-33-5)		
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)	
acetyl cedrene (32388-55-9)		
BCF - Fish [1]	(3920 dimensionless (organ w.w.)	
Partition coefficient n-octanol/water (Log Pow)	5.6 – 5.9	
Eugenol (97-53-0)		
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)	
Cinnamic aldehyde (104-55-2)		
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)	
Heliotropine (120-57-0)		
Partition coefficient n-octanol/water (Log Pow)	1.2 (at 35 °C)	
Camphene (79-92-5)		
Partition coefficient n-octanol/water (Log Pow)	4.22 (at 37 °C (at pH 7.2)	
Cinnamalva (1885-38-7)		
Partition coefficient n-octanol/water (Log Pow)	1.96	
Ethyl acetoacetate (141-97-9)		
Partition coefficient n-octanol/water (Log Pow)	0.8 (at 20 °C)	
Allyl heptanoate (142-19-8)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 20 °C (at pH 5.3)	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		

No additional information available

12.6. Endocrine disrupting properties

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.7. Other adverse effects

Additional information

: Avoid release to the environment.

SECTION 13: Disposal considerations	;
13.1. Waste treatment methods	
Waste treatment methods Product/Packaging disposal recommendations Ecology - waste materials HP Code	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment. HP3 - "Flammable:" flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C; flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air; flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction; flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa; water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities; other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for on or more sectors of the environment

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID	
14.1. UN number or ID number					
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082	
14.2. UN proper shippin	g name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cedarwood Oil,Texas)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cedarwood Oil,Texas)	Environmentally hazardous substance, liquid, n.o.s. (Cedarwood Oil,Texas)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cedarwood Oil,Texas)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	
Transport document descr	iption				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cedarwood Oil,Texas), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cedarwood Oil,Texas), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Cedarwood Oil,Texas), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cedarwood Oil,Texas), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III	
14.3. Transport hazard o	class(es)				
9	9	9	9	9	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.4. Packing group		·		
III	III	III	III	111
14.5. Environmental haz	ards	·,		
Dangerous for the environment: YesDangerous for the environment: Yes				

14.6. Special precautions for user

Overland transport

Overland transport	
Classification code (ADR)	: M6
Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 51
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	
Portable tank and bulk container special provisions	: TP1, TP29
(ADR)	
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading	: CV13
and handling (ADR)	
Hazard identification number (Kemler No.)	: 90
Orange plates	<u>90</u> 3082
	20
	3082
	3002
Tunnel restriction code (ADR)	: -
EAC code	: •3Z
Transport by sea	
Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
	. //
••••	
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197
ERG code (IATA)	: 9L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Inland waterway transport		
Classification code (ADN)	:	M6
Special provisions (ADN)	:	274, 335, 375, 601
Limited quantities (ADN)	:	5 L
Excepted quantities (ADN)	:	E1
Carriage permitted (ADN)	:	Т
Equipment required (ADN)	:	PP
Number of blue cones/lights (ADN)	:	0
Rail transport		
Classification code (RID)	:	M6
Special provisions (RID)	:	274, 335, 375, 601
Excepted quantities (RID)	:	E1
Packing instructions (RID)	:	P001, IBC03, LP01, R001
Special packing provisions (RID)	:	PP1
Mixed packing provisions (RID)	:	MP19
Portable tank and bulk container instructions (RID)	:	T4
Portable tank and bulk container special provisions	:	TP1, TP29
(RID)		
Tank codes for RID tanks (RID)	:	LGBV
Transport category (RID)	:	3
Special provisions for carriage – Packages (RID)	:	W12
Special provisions for carriage - Loading, unloading	:	CW13, CW31
and handling (RID)		
Colis express (express parcels) (RID)	:	CE8
Hazard identification number (RID)	:	90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	FIREPLACE #EU34857F ; Benzyl benzoate ; Cedarwood oil, Texas ; Cedryl acetate ; Iso E Super ; Cedarwood oil, Virginia ; acetyl cedrene ; Cinnamic aldehyde ; Cedar leaf oil ; Lemon oil ; Allyl heptanoate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
3(b)	FIREPLACE #EU34857F ; Benzyl benzoate ; Cedarwood oil, Texas ; Cedryl acetate ; Iso E Super ; Cedarwood oil, Virginia ; acetyl cedrene ; Eugenol ; Cinnamic aldehyde ; Cedar leaf oil ; Lemon oil ; Cinnamalva ; Allyl heptanoate ; Linalool	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Cedar leaf oil ; Lemon oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
40.	Cedar leaf oil ; Camphene ; Lemon oil	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Piperonal		120-57-0	2932 93 00	Category 1		Annex I

15.1.2. National regulations

Germany

Water hazard class (WGK) List of sensitizing substances (TRGS 907) Hazardous Incident Ordinance (12. BImSchV)	 WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1). Contains sensitizing substances according TRGS 907. Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
ABM category	: A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen	: Cedarwood oil, Texas,Cedarwood oil, Virginia,Lemon oil are listed
SZW-lijst van mutagene stoffen	: Cedarwood oil, Virginia,Lemon oil are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Switzerland

Storage class (LK)

: LK 6.1 - Toxic materials

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Other information

: None.

Full text of H- and EUH	I-statements:
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Flam. Sol. 2	Flammable solids, Category 2
H226	Flammable liquid and vapour.
H228	Flammable solid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.