

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 3/13/2018 Revision date: 10/9/2023 Supersedes version of: 4/20/2022 Version: 4.2

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Trade name : Christmas Hearth #EU19772F
UFI : 0HRR-G1WE-K00A-SQRH

Product code : EU19772F

Type of product : Perfumes, fragrances
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

Main use category : Industrial use,Professional use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE International GmbH

Mittlerer Weg 35 DE- 79424 Auggen

Germany

T 49-7631-931-8900

SDS@frenchcolor.com - www.frenchcolor.com

#### 1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects. Causes serious eye irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS09

Signal word (CLP) : Warning

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains : Cinnamic aldehyde; Rosemary Oil; Eugenol; Cedar leaf oil; Amyl cinnamic aldehyde; Iso E

Super; Hexyl cinnamic aldehyde; Hydroxy; Helional; Citral; d-Limonene; Patchouli oil; COUMARIN; beta-Caryophyllene; Linalyl acetate; Aldehyde C-16; Triplal (Vertocitral)

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

Extra phrases : For professional users only.

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Rosemary Oil	CAS-No.: 8000-25-7 EC-No.: 283-291-9	1.2 – 2.4	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT SE 2, H371 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	0.91875 – 1.875	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 REACH-no: 01-2119935242- 45	0.90375 – 1.81875	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Cedar leaf oil	CAS-No.: 8007-20-3 EC-No.: 290-370-1 REACH-no: 01-2120763401- 62	0.9 – 1.8	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

## Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethyl vanillin	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-211958961-24	0.6 – 1.2	Eye Irrit. 2, H319
Amyl cinnamic aldehyde	CAS-No.: 122-40-7 EC-No.: 204-541-5	0.6 – 1.2	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Dihydromyrcenol	CAS-No.: 18479-58-8 EC-No.: 242-362-4 REACH-no: 01-2119457274- 37	0.6 – 1.2	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.6 – 1.2	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Verdox	CAS-No.: 88-41-5 EC-No.: 201-828-7 REACH-no: 01-2119970713- 33	0.6 – 1.2	Aquatic Chronic 2, H411
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-	0.45 – 0.9	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
d-Limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353-	0.25 – 0.5015	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.2000075 – 0.400015	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Patchouli oil	CAS-No.: 8014-09-3 EC Index-No.: 616-944-7	0.2 – 0.4	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.175 – 0.35	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Camphene	CAS-No.: 79-92-5 EC-No.: 201-234-8	0.175 – 0.35	Flam. Sol. 2, H228 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	0.115 – 0.23	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.1 – 0.2	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789-	0.075 – 0.1515	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Hydroxy	CAS-No.: 107-75-5 EC-No.: 203-518-7 REACH-no: 01-2119973482- 31	0.075 – 0.15	Eye Irrit. 2, H319 Skin Sens. 1B, H317
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119- 58	0.075 – 0.15	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.075 – 0.15	Aquatic Chronic 3, H412
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	0.075 – 0.15	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.075 – 0.15	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
beta-Caryophyllene	CAS-No.: 87-44-5 EC-No.: 201-746-1 REACH-no: 01-2120745237- 53	0.04125 – 0.1125	Skin Sens. 1B, H317 Asp. Tox. 1, H304
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	< 0.0015	Flam. Liq. 3, H226
.betaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 127-91-3 EC-No.: 204-872-5	< 0.0015	Flam. Liq. 3, H226

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.

10/9/2023 (Revision date) EN (English) 4/24

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after skin contact : Wash with plenty of water/.... If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : May cause an allergic skin reaction. Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.

Explosion hazard : May form flammable/explosive vapour-air mixture.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames.

No smoking.

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

10/9/2023 (Revision date) EN (English) 5/24

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Precautions for safe handling : Ensure good ventilation of the work station. No open flames. No smoking. Wash hands and

other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid

contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Keep in fireproof place. Keep only in the original container in a cool, well ventilated place

away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated

place. Keep cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Heat sources. Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

#### 7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Citral (5392-40-5)		
Belgium - Occupational Exposure Limits		
OEL TWA	32 mg/m³ (vapor and aerosol)	
OEL TWA [ppm] 5 ppm (vapor and aerosol)		
OEL chemical category Skin		
Ireland - Occupational Exposure Limits		
OEL TWA [2] 5 ppm		
OEL STEL [ppm] 15 ppm (calculated)		

## Safety Data Sheet

Citral (5392-40-5)		
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	27 mg/m³	
NDSCh (OEL STEL)	54 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	5 ppm (inhalable fraction; vapor)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [2]	5 ppm (inhalable fraction and vapor)	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer	
d-Limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	140 mg/m³	
HTP (OEL TWA) [2]	25 ppm	
HTP (OEL STEL)	280 mg/m³	
HTP (OEL STEL) [ppm]	50 ppm	
Germany - Occupational Exposure Limits (TRGS 90	0)	
AGW (OEL TWA) [1]	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
OEL TWA [ppm]	5 ppm	
OEL STEL	112 mg/m³	
OEL STEL [ppm]	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	168 mg/m³	
VLA-ED (OEL TWA) [2]	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	

## Safety Data Sheet

d-Limonene (5989-27-5)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)
OEL chemical category	Allergenic substance
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	40 mg/m³
MAK (OEL TWA) [2]	7 ppm
KZGW (OEL STEL)	80 mg/m³
KZGW (OEL STEL) [ppm]	14 ppm
OEL chemical category	Sensitizer
.alphaPinene (80-56-8)	
Belgium - Occupational Exposure Limits	
OEL TWA [ppm]	20 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL TWA [ppm]	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL STEL [ppm]	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	150 mg/m³
IPRV (OEL TWA) [ppm]	25 ppm
TPRV (OEL STEL)	300 mg/m³
TPRV (OEL STEL) [ppm]	50 ppm
Portugal - Occupational Exposure Limits	
OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA) [1]	113 mg/m³
VLA-ED (OEL TWA) [2]	20 ppm
OEL chemical category	Sensitizer
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	150 mg/m³
NGV (OEL TWA) [ppm]	25 ppm
KTV (OEL STEL)	300 mg/m³
KTV (OEL STEL) [ppm]	50 ppm
OEL chemical category	Sensitizer
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA) [1]	140 mg/m³

## Safety Data Sheet

.alphaPinene (80-56-8)	
Grenseverdi (OEL TWA) [2]	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)
OEL chemical category	Skin notation
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer
.betaPinene (127-91-3)	
Belgium - Occupational Exposure Limits	
OEL TWA [ppm]	20 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL TWA [ppm]	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL STEL [ppm]	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	150 mg/m³
IPRV (OEL TWA) [ppm]	25 ppm
TPRV (OEL STEL)	300 mg/m³
TPRV (OEL STEL) [ppm]	50 ppm
Portugal - Occupational Exposure Limits	
OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA) [1]	113 mg/m³
VLA-ED (OEL TWA) [2]	20 ppm
OEL chemical category	Sensitizer
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	150 mg/m³
NGV (OEL TWA) [ppm]	25 ppm
KTV (OEL STEL)	300 mg/m³
KTV (OEL STEL) [ppm]	50 ppm
OEL chemical category	Sensitizer
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA) [1]	140 mg/m³
Grenseverdi (OEL TWA) [2]	25 ppm

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

.betaPinene (127-91-3)			
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)		
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)		
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer		
Benzyl acetate (140-11-4)			
Belgium - Occupational Exposure Limits			
OEL TWA	62 mg/m³		
OEL TWA [ppm]	10 ppm		
Denmark - Occupational Exposure Limits			
OEL TWA [1]	61 mg/m³		
OEL TWA [2]	10 ppm		
OEL STEL	122 mg/m³		
OEL STEL [ppm]	20 ppm		
Ireland - Occupational Exposure Limits			
OEL TWA [2]	10 ppm		
OEL STEL [ppm]	30 ppm (calculated)		
Latvia - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	5 mg/m³		
Portugal - Occupational Exposure Limits			
OEL TWA [ppm]	10 ppm		
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen		
Romania - Occupational Exposure Limits			
OEL TWA	50 mg/m³		
OEL TWA [ppm]	8 ppm		
OEL STEL	80 mg/m³		
OEL STEL [ppm]	13 ppm		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [1]	62 mg/m³		
VLA-ED (OEL TWA) [2]	10 ppm		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA [ppm]	10 ppm		
ACGIH chemical category	Not Classifiable as a Human Carcinogen		

### 8.1.2. Recommended monitoring procedures

No additional information available

## 8.1.3. Air contaminants formed

No additional information available

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):





### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses. Safety glasses

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Wear protective gloves.

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

## 8.2.3. Environmental exposure controls

## Environmental exposure controls:

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

#### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

Odour : characteristic.
Odour threshold : Not available
Melting point : Not applicable
Freezing point : Not available
Boiling point : Not available

Flammability : Combustible liquid, Non flammable.

Explosive limits : Not available
Lower explosion limit : Not available
Upper explosion limit : Not available

Flash point : 89.7 °C (closed cup) ASTM D7094

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Auto-ignition temperature : Not available
Decomposition temperature : Not available
pH : Not available
Viscosity, kinematic : Not available

Solubility : Not soluble in water alone.

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Combustible liquid. May form flammable/explosive vapour-air mixture. Not established.

## 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Cinnamic aldehyde (104-55-2)	
LD50 oral rat	2220 mg/kg (Source: NLM_CIP)
LD50 oral	2200 mg/kg bodyweight
LD50 dermal rabbit	1260 mg/kg (Source: EPA_HPV)
LD50 dermal	1100 mg/kg bodyweight

## Safety Data Sheet

Rosemary Oil (8000-25-7)	
LD50 oral rat	5 g/kg (Source: NLM_CIP)
Eugenol (97-53-0)	
LD50 oral rat	1930 mg/kg (Source: NZ_CCID)
LD50 oral	2500 mg/kg bodyweight
Cedar leaf oil (8007-20-3)	
LD50 oral rat	830 mg/kg (Source: NLM_CIP)
LD50 oral	830 mg/kg bodyweight
LD50 dermal	4100 mg/kg bodyweight
Ethyl vanillin (121-32-4)	
LD50 oral rat	1590 mg/kg (Source: NLM_CIP)
LD50 oral	3000 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
Amyl cinnamic aldehyde (122-40-7)	
LD50 oral rat	3730 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 2000 mg/kg (Source: CHEMVIEW)
Dihydromyrcenol (18479-58-8)	
LD50 oral rat	3600 mg/kg (Source: NLM_CIP)
LD50 oral	3600 mg/kg bodyweight
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)
Verdox (88-41-5)	
LD50 oral rat	4600 mg/kg (Source: NLM_CIP)
LD50 oral	4600 mg/kg bodyweight
Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)
LD50 oral	3100 mg/kg bodyweight
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)
LC50 Inhalation - Rat	> 5 mg/l/4h
Hydroxy (107-75-5)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)
Helional (1205-17-0)	
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)
Citral (5392-40-5)	
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)
d-Limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)

## Safety Data Sheet

d-Limonene (5989-27-5)	
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)
Camphene (79-92-5)	
LD50 oral rat	5600 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Patchouli oil (8014-09-3)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
COUMARIN (91-64-5)	
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)
LD50 oral	290 mg/kg bodyweight
LD50 dermal rat	293 mg/kg (Source: ECHA_API)
Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg (Source: NLM_CIP)
LD50 oral	1160 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)
Hexamethylindanopyran (1222-05-5)	
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)
.alphaPinene (80-56-8)	
LD50 oral rat	3700 mg/kg (Source: NLM_CIP)
LD50 oral	500 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg (Source: CHEMVIEW)
Linalyl acetate (115-95-7)	
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)
LD50 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)
.betaPinene (127-91-3)	
LD50 oral rat	> 5000 mg/kg (Source: EPA_HPV)
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
Benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)
LD50 oral	2490 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)
Aldehyde C-16 (77-83-8)	
LD50 oral rat	5470 mg/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
Triplal (Vertocitral) (68039-49-6)	
LD50 oral	3900 mg/kg bodyweight
Skin corrosion/irritation :	Not classified

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

: Causes serious eye irritation. Serious eye damage/irritation Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified


**Eugenol (97-53-0)** 

3 - Not classifiable IARC group

#### d-Limonene (5989-27-5)

IARC group 3 - Not classifiable

#### **COUMARIN (91-64-5)**

IARC group 3 - Not classifiable

#### Benzyl acetate (140-11-4)

3 - Not classifiable IARC group

Reproductive toxicity : Not classified STOT-single exposure : Not classified

#### Rosemary Oil (8000-25-7)

STOT-single exposure May cause damage to organs.

STOT-repeated exposure : Not classified Aspiration hazard Not classified

#### Benzyl benzoate (120-51-4)

7.456 mm<sup>2</sup>/s Viscosity, kinematic

#### 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

: Harmful to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Ecology - general

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects. (chronic)

Eugenol (97-53-0)		
LC50 - Fish [1] 13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)		
Ethyl vanillin (121-32-4)		
LC50 - Fish [1] 81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)		
Citral (5392-40-5)		
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)	
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)	

## Safety Data Sheet

Source: EPA    35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)	d-Limonene (5989-27-5)	
Camphone (79-92-5)  LC50 - Fish [1]	LC50 - Fish [1]	
LC50 - Fish [1]   0.72 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [flow-through] Source: IUCLID)  LC50 - Fish [2]   150 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static] Source: IUCLID)  EC50 - Crustacea [1]   22 mg/l (Exposure time: 98 h - Species: Daphnia magna)  EC50 72h - Algae [1]   > 1000 mg/l (Species: Desmodesmus subspicatus)  Benzyl benzoate (120-51-4)  LC50 - Fish [1]   2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  NOEC (chronic)   0.168 mg/l  Hexamethylindanopyran (1222-05-5)  LC50 - Fish [1]   0.452 mg/l Wolf, 19864-27882  LC50 - Fish [1]   0.452 mg/l Wolf, 19864-27882  LC50 - Other aquatic organisms [1]   0.131 mg/l REACH Dossier  EC50 - Other aquatic organisms [1]   0.131 mg/l REACH Dossier  EC50 - Other aquatic organisms [1]   0.131 mg/l REACH Dossier  LC50 - Fish [1]   0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)  EC50 - Crustacea [2]   41 mg/l (Exposure time: 96 h - Species: Daphnia magna)  LInallyl acetate (115-95-7)  LC50 - Fish [1]   11 mg/l (Exposure time: 96 h - Species: Copprinus carpio [flow-through] Source: ECHA)  Aldehyde C-16 (77-83-8)  LC50 - Fish [1]   11 mg/l (Exposure time: 96 h - Species: Oncorhynchus myklas [semi-static] Source: ECHA)  Aldehyde C-16 (77-83-8)  LC50 - Fish [1]   4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus myklas [semi-static] Source: ECHA)  Persistence and degradability  Not established.  Benzyl benzoate (120-51-4)  Persistence and degradability   May cause long-term adverse effects in the environment.  12.3. Bioaccumulative potential   Not established.  Cinnamic aldehyde (104-55-2)  Partition coefficient n-octanol/water (Log Pow)   2.1065 (at 25 °C)  Eugenol (97-53-0)	LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)
LC50 - Fish [2]   150 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static] Source:   IUCLID	Camphene (79-92-5)	
EC50 - Crustacea [1] 22 mg/l (Exposure time: 48 h - Species: Daphnia magna)  EC50 72h - Algae [1] > 1000 mg/l (Species: Desmodesmus subspicatus)  Benzyl benzoate (120-51-4)  LC50 - Fish [1] 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  NOEC (chronic) 0.168 mg/l  Hexamethyllindanopyran (1222-05-5)  LC50 - Fish [1] 0.452 mg/l Wolft, 19964-27682  LC50 - Christacea [2] 260 µg/l REACH Dossier  EC50 - Chrustacea [2] 260 µg/l REACH Dossier  EC50 - Other aquatic organisms [1] 0.131 mg/l REACH Dossier  LC50 - Fish [1] 0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)  EC50 - Crustacea [1] 41 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)  EC50 - Fish [1] 0.28 mg/l (Exposure time: 96 h - Species: Daphnia magna)  Linalyl acetate (115-95-7)  LC50 - Fish [1] 1 mg/l (Exposure time: 96 h - Species: Oxprinus carpio [flow-through] Source: ECHA)  Aldehyde C-16 (77-83-8)  LC50 - Fish [1] 1 mg/l (Exposure time: 96 h - Species: Oxprinus carpio [flow-through] Source: ECHA)  Aldehyde C-16 (77-83-8)  LC50 - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oxprinus carpio [flow-through] Source: ECHA)  Aldehyde C-16 (77-83-8)  LC50 - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oxprinus carpio [flow-through] Source: ECHA)  Aldehyde C-16 (77-83-8)  LC50 - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oxprinus carpio [flow-through] Source: ECHA)  Benzyl benzoate (120-51-4)  Persistence and degradability Not established.  Benzyl benzoate (120-51-4)  Persistence and degradability Mg/ cause long-term adverse effects in the environment.  12.3. Bloaccumulative potential Not established.  Cinnamic aldehyde (104-55-2)  Partition coefficient n-oxtanol/water (Log Pow) 2.1085 (at 25 °C)  Eugenol (97-53-0)	LC50 - Fish [1]	
EC50 72h - Algae [1] > 1000 mg/l (Species: Desmodesmus subspicatus)  Benzyl benzoate (120-51-4)  LC50 - Fish [1] 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  NOEC (chronic) 0.168 mg/l  Hexamethylindanopyran (1222-05-5)  LC50 - Fish [1] 0.452 mg/l Wolf, 1998d-27682  LC50 - Other aquatic organisms [1] > 0.14 mg/l REACH DOSSIER Primephales promelas  EC50 - Crustacea [2] 260 µg/l REACH DOSSIER  EC50 - Other aquatic organisms [1] 0.131 mg/l REACH Dossier  alphaPrimene (80-56-8)  LC50 - Fish [1] 0.28 mg/l (Exposure time: 96 h - Species: Primephales promelas [static] Source: IUCLID)  EC50 - Crustacea [1] 41 mg/l (Exposure time: 96 h - Species: Daphnia magna)  Linalyl acetate (115-95-7)  LC50 - Fish [1] 11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)  Aldehyde C-16 (77-83-8)  LC50 - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)  Aldehyde C-16 (77-83-8)  LC50 - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)  Aldehyde C-16 (77-83-8)  LC50 - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)  Aldehyde C-16 (77-83-8)  LC50 - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)  Aldehyde C-16 (77-83-8)  LC50 - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)  Aldehyde C-16 (77-83-8)  LC50 - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)  Aldehyde C-16 (77-83-8)  LC50 - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)  Aldehyde C-16 (77-83-8)  LC50 - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)  Aldehyde C-16 (77-83-8)  LC50 - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)  Aldehyde C-16 (77-83-8)  LC50 - Fish	LC50 - Fish [2]	150 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static] Source: IUCLID)
Benzyl benzoate (120-51-4)  LCSO - Fish [1] 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  NOEC (chronic) 0.168 mg/l  Hexamethylindanopyran (1222-05-5)  LCSO - Fish [1] 0.452 mg/l Wolf, 1996d-27682  LCSO - Other aquatic organisms [1] > 0.14 mg/l REACH DOSSIER Pimephales promelas  ECGO - Other aquatic organisms [1] 0.131 mg/l REACH Dossier  ECGO - Other aquatic organisms [1] 0.131 mg/l REACH Dossier  ECGO - Other aquatic organisms [1] 0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)  ECGO - Fish [1] 0.28 mg/l (Exposure time: 48 h - Species: Daphnia magna)  LInalyl acetate (115-95-7)  LCSO - Fish [1] 11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)  Aldehyde C-16 (77-83-8)  LCSO - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-atatic] Source: ECHA)  Aldehyde C-16 (77-83-8)  LCSO - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-atatic] Source: ECHA)  Aldehyde C-16 (77-83-8)  LCSO - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-atatic] Source: ECHA)  Aldehyde C-16 (77-83-8)  LCSO - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-atatic] Source: ECHA)  Aldehyde C-16 (77-83-8)  LCSO - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-atatic] Source: ECHA)  Aldehyde C-16 (77-83-8)  LCSO - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-atatic] Source: ECHA)  Aldehyde C-16 (77-83-8)  LCSO - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-atatic] Source: ECHA)  Aldehyde C-16 (77-83-8)  LCSO - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-atatic] Source: ECHA)  Aldehyde C-16 (77-83-8)  LCSO - Fish [1] 41 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-atatic] Source: ECHA)  Aldehyde C-16 (77-83-8)  LCSO - Fish [1] 41 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [	EC50 - Crustacea [1]	22 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 - Fish [1] 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  NOEC (chronic) 0.168 mg/l  Hexamethylindanopyran (1222-05-5)  LC50 - Fish [1] 0.452 mg/l Wolf, 1996d-27682  LC50 - Other aquatic organisms [1] > 0.14 mg/l REACH DOSSIER Pimephales prometas  EC50 - Crustacea [2] 260 µg/l REACH Dossier  EC50 - Other aquatic organisms [1] 0.131 mg/l REACH Dossier  EC50 - Other aquatic organisms [1] 0.28 mg/l (Exposure time: 96 h - Species: Pimephales prometas [static] Source: IUCLID)  EC50 - Crustacea [1] 41 mg/l (Exposure time: 96 h - Species: Daphnia magna)  Linalyl acetate (115-95-7)  LC50 - Fish [1] 1 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)  Aldehyde C-16 (77-83-8)  LC50 - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)  Aldehyde C-16 (77-83-8)  LC50 - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)  Persistence and degradability  Not established.  Benzyl benzoate (120-51-4)  Persistence and degradability May cause long-term adverse effects in the environment.  12.3. Bioaccumulative potential  Christmas Hearth #EU19772F  Bioaccumulative potential  Not established.  Cinnamic aldehyde (104-55-2)  Partition cefficient n-octanol/water (Log Pow) 2.1065 (at 25 °C)  Eugenol (97-53-0)	EC50 72h - Algae [1]	> 1000 mg/l (Species: Desmodesmus subspicatus)
NOEC (chronic)    Note (chronic)   0.168 mg/l	Benzyl benzoate (120-51-4)	
Hexamethylindanopyran (1222-05-5)  LC50 - Fish [1]	LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
LC50 - Fish [1] 0.452 mg/l Wolf, 1996d-27682  LC50 - Other aquatic organisms [1] > 0.14 mg/l REACH Dossier  EC50 - Crustacea [2] 260 µg/l REACH Dossier  EC50 - Other aquatic organisms [1] 0.131 mg/l REACH Dossier  EC50 - Other aquatic organisms [1] 0.131 mg/l REACH Dossier  LC50 - Fish [1] 0.28 mg/l (Exposure time: 96 h - Species: Pimephales prometas [static] Source: IUCLID)  EC50 - Crustacea [1] 41 mg/l (Exposure time: 48 h - Species: Daphnia magna)  Linalyl acctate (115-95-7)  LC50 - Fish [1] 11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)  Aldehyde C-16 (77-83-8)  LC50 - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)  **Text	NOEC (chronic)	0.168 mg/l
LC50 - Other aquatic organisms [1] > 0.14 mg/l REACH DOSSIER Pimephales promelas  EC50 - Crustacea [2] 260 µg/l REACH Dossier  EC50 - Other aquatic organisms [1] 0.131 mg/l REACH Dossier  alphaPinene (80-56-8)  LC50 - Fish [1] 0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)  EC50 - Crustacea [1] 41 mg/l (Exposure time: 48 h - Species: Daphnia magna)  Linalyl acetate (115-95-7)  LC50 - Fish [1] 1 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)  Aldehyde C-16 (77-83-8)  LC50 - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)  12.2. Persistence and degradability  Christmas Hearth #EU19772F  Persistence and degradability Not established.  Benzyl benzoate (120-51-4)  Persistence and degradability May cause long-term adverse effects in the environment.  12.3. Bioaccumulative potential  Christmas Hearth #EU19772F  Bioaccumulative potential Not established.  Cinnamic aldehyde (104-55-2)  Partition coefficient n-octanol/water (Log Pow) 2.1065 (at 25 °C)  Eugenol (97-53-0)	Hexamethylindanopyran (1222-05-5)	
EC50 - Crustacea [2] 250 µg/l REACH Dossier  EC50 - Other aquatic organisms [1] 0.131 mg/l REACH Dossier  alphaPinene (80-56-8)  LC50 - Fish [1] 0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)  EC50 - Crustacea [1] 41 mg/l (Exposure time: 48 h - Species: Daphnia magna)  Linalyl acetate (115-95-7)  LC50 - Fish [1] 11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)  Aldehyde C-16 (77-83-8)  LC50 - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)  12.2. Persistence and degradability  Christmas Hearth #EU19772F  Persistence and degradability Not established.  Benzyl benzoate (120-51-4)  Persistence and degradability May cause long-term adverse effects in the environment.  12.3. Bloaccumulative potential  Christmas Hearth #EU19772F  Bioaccumulative potential  Christmas Hearth #EU19772F  Bioaccumulative potential  Not established.  Cinnamic aldehyde (104-55-2)  Partition coefficient n-octanol/water (Log Pow) 2.1065 (at 25 °C)  Eugenol (97-53-0)	LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682
EC50 - Other aquatic organisms [1]  alphaPinene (80-56-8)  LC50 - Fish [1]  0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)  EC50 - Crustacea [1]  41 mg/l (Exposure time: 48 h - Species: Daphnia magna)  Linalyl acetate (115-95-7)  LC50 - Fish [1]  11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)  Aldehyde C-16 (77-83-8)  LC50 - Fish [1]  4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)  12.2. Persistence and degradability  Christmas Hearth #EU19772F  Persistence and degradability  Not established.  Benzyl benzoate (120-51-4)  Persistence and degradability  May cause long-term adverse effects in the environment.  12.3. Bioaccumulative potential  Christmas Hearth #EU19772F  Bioaccumulative potential  Not established.  Cinnamic aldehyde (104-55-2)  Partition coefficient n-octanol/water (Log Pow)  2.1065 (at 25 °C)  Eugenol (97-53-0)	LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas
.alphaPinene (80-56-8)  LC50 - Fish [1] 0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)  EC50 - Crustacea [1] 41 mg/l (Exposure time: 48 h - Species: Daphnia magna)  Linalyl acetate (115-95-7)  LC50 - Fish [1] 11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)  Aldehyde C-16 (77-83-8)  LC50 - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)  12.2. Persistence and degradability  Christmas Hearth #EU19772F  Persistence and degradability Not established.  Benzyl benzoate (120-51-4)  Persistence and degradability May cause long-term adverse effects in the environment.  12.3. Bioaccumulative potential  Christmas Hearth #EU19772F  Bioaccumulative potential Not established.  Cinnamic aldehyde (104-55-2)  Partition coefficient n-octanol/water (Log Pow) 2.1065 (at 25 °C)  Eugenol (97-53-0)	EC50 - Crustacea [2]	260 μg/l REACH Dossier
LC50 - Fish [1]  0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)  EC50 - Crustacea [1]  41 mg/l (Exposure time: 48 h - Species: Daphnia magna)  Linalyl acetate (115-95-7)  LC50 - Fish [1]  11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)  Aldehyde C-16 (77-83-8)  LC50 - Fish [1]  4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)  12.2. Persistence and degradability  Christmas Hearth #EU19772F  Persistence and degradability  Not established.  Benzyl benzoate (120-51-4)  Persistence and degradability  May cause long-term adverse effects in the environment.  12.3. Bioaccumulative potential  Christmas Hearth #EU19772F  Bioaccumulative potential  Not established.  Cinnamic aldehyde (104-55-2)  Partition coefficient n-octanol/water (Log Pow)  2.1065 (at 25 °C)  Eugenol (97-53-0)	EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier
EC50 - Crustacea [1] 41 mg/l (Exposure time: 48 h - Species: Daphnia magna)  Linalyl acetate (115-95-7)  LC50 - Fish [1] 11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)  Aldehyde C-16 (77-83-8)  LC50 - Fish [1] 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)  12.2. Persistence and degradability  Christmas Hearth #EU19772F  Persistence and degradability Not established.  Benzyl benzoate (120-51-4)  Persistence and degradability May cause long-term adverse effects in the environment.  12.3. Bioaccumulative potential  Christmas Hearth #EU19772F  Bioaccumulative potential Not established.  Cinnamic aldehyde (104-55-2)  Partition coefficient n-octanol/water (Log Pow) 2.1065 (at 25 °C)  Eugenol (97-53-0)	.alphaPinene (80-56-8)	
Linalyl acetate (115-95-7)  LC50 - Fish [1]	LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)
LC50 - Fish [1]  11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)  Aldehyde C-16 (77-83-8)  LC50 - Fish [1]  4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)  12.2. Persistence and degradability  Christmas Hearth #EU19772F  Persistence and degradability  Not established.  Benzyl benzoate (120-51-4)  Persistence and degradability  May cause long-term adverse effects in the environment.  12.3. Bioaccumulative potential  Christmas Hearth #EU19772F  Bioaccumulative potential  Not established.  Cinnamic aldehyde (104-55-2)  Partition coefficient n-octanol/water (Log Pow)  2.1065 (at 25 °C)  Eugenol (97-53-0)	EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Aldehyde C-16 (77-83-8)  LC50 - Fish [1]  4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)  12.2. Persistence and degradability  Christmas Hearth #EU19772F  Persistence and degradability  Not established.  Benzyl benzoate (120-51-4)  Persistence and degradability  May cause long-term adverse effects in the environment.  12.3. Bioaccumulative potential  Christmas Hearth #EU19772F  Bioaccumulative potential  Not established.  Cinnamic aldehyde (104-55-2)  Partition coefficient n-octanol/water (Log Pow)  2.1065 (at 25 °C)  Eugenol (97-53-0)	Linalyl acetate (115-95-7)	
LC50 - Fish [1]  4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)  12.2. Persistence and degradability  Christmas Hearth #EU19772F  Persistence and degradability  Not established.  Benzyl benzoate (120-51-4)  Persistence and degradability  May cause long-term adverse effects in the environment.  12.3. Bioaccumulative potential  Christmas Hearth #EU19772F  Bioaccumulative potential  Not established.  Cinnamic aldehyde (104-55-2)  Partition coefficient n-octanol/water (Log Pow)  2.1065 (at 25 °C)  Eugenol (97-53-0)	LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)
12.2. Persistence and degradability  Christmas Hearth #EU19772F  Persistence and degradability Not established.  Benzyl benzoate (120-51-4)  Persistence and degradability May cause long-term adverse effects in the environment.  12.3. Bioaccumulative potential  Christmas Hearth #EU19772F  Bioaccumulative potential Not established.  Cinnamic aldehyde (104-55-2)  Partition coefficient n-octanol/water (Log Pow) 2.1065 (at 25 °C)  Eugenol (97-53-0)	Aldehyde C-16 (77-83-8)	
Christmas Hearth #EU19772F  Persistence and degradability Not established.  Benzyl benzoate (120-51-4)  Persistence and degradability May cause long-term adverse effects in the environment.  12.3. Bioaccumulative potential  Christmas Hearth #EU19772F  Bioaccumulative potential Not established.  Cinnamic aldehyde (104-55-2)  Partition coefficient n-octanol/water (Log Pow) 2.1065 (at 25 °C)  Eugenol (97-53-0)	LC50 - Fish [1]	
Persistence and degradability  Benzyl benzoate (120-51-4)  Persistence and degradability  May cause long-term adverse effects in the environment.  12.3. Bioaccumulative potential  Christmas Hearth #EU19772F  Bioaccumulative potential  Not established.  Cinnamic aldehyde (104-55-2)  Partition coefficient n-octanol/water (Log Pow)  2.1065 (at 25 °C)  Eugenol (97-53-0)	12.2. Persistence and degradability	
Benzyl benzoate (120-51-4)  Persistence and degradability  May cause long-term adverse effects in the environment.  12.3. Bioaccumulative potential  Christmas Hearth #EU19772F  Bioaccumulative potential  Not established.  Cinnamic aldehyde (104-55-2)  Partition coefficient n-octanol/water (Log Pow)  2.1065 (at 25 °C)  Eugenol (97-53-0)	Christmas Hearth #EU19772F	
Persistence and degradability  May cause long-term adverse effects in the environment.  12.3. Bioaccumulative potential  Christmas Hearth #EU19772F  Bioaccumulative potential  Not established.  Cinnamic aldehyde (104-55-2)  Partition coefficient n-octanol/water (Log Pow)  2.1065 (at 25 °C)  Eugenol (97-53-0)	Persistence and degradability	Not established.
12.3. Bioaccumulative potential  Christmas Hearth #EU19772F  Bioaccumulative potential  Not established.  Cinnamic aldehyde (104-55-2)  Partition coefficient n-octanol/water (Log Pow)  2.1065 (at 25 °C)  Eugenol (97-53-0)	Benzyl benzoate (120-51-4)	
Christmas Hearth #EU19772F  Bioaccumulative potential Not established.  Cinnamic aldehyde (104-55-2)  Partition coefficient n-octanol/water (Log Pow) 2.1065 (at 25 °C)  Eugenol (97-53-0)	Persistence and degradability	May cause long-term adverse effects in the environment.
Bioaccumulative potential  Cinnamic aldehyde (104-55-2)  Partition coefficient n-octanol/water (Log Pow)  2.1065 (at 25 °C)  Eugenol (97-53-0)	12.3. Bioaccumulative potential	
Cinnamic aldehyde (104-55-2)  Partition coefficient n-octanol/water (Log Pow)  2.1065 (at 25 °C)  Eugenol (97-53-0)	Christmas Hearth #EU19772F	
Partition coefficient n-octanol/water (Log Pow)  2.1065 (at 25 °C)  Eugenol (97-53-0)	Bioaccumulative potential	Not established.
Eugenol (97-53-0)	Cinnamic aldehyde (104-55-2)	
	Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)
Partition coefficient n-octanol/water (Log Pow) 1.83 (at 30 °C (at pH 5.5)	Eugenol (97-53-0)	
	Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ethyl vanillin (121-32-4)	
Partition coefficient n-octanol/water (Log Pow)	1.61 (at 25 °C)
Amyl cinnamic aldehyde (122-40-7)	
Partition coefficient n-octanol/water (Log Pow)	2.498 (at 25 °C (at pH 6.2)
Dihydromyrcenol (18479-58-8)	
Partition coefficient n-octanol/water (Log Pow)	3.25 (at 40 °C (at pH 7)
Hydroxy (107-75-5)	
Partition coefficient n-octanol/water (Log Pow)	1.68 (at 25 °C)
Helional (1205-17-0)	
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C)
Citral (5392-40-5)	
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)
d-Limonene (5989-27-5)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)
Camphene (79-92-5)	
Partition coefficient n-octanol/water (Log Pow)	4.22 (at 37 °C (at pH 7.2)
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Bioaccumulative potential	Not established.
Hexamethylindanopyran (1222-05-5)	
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)
beta-Caryophyllene (87-44-5)	
Partition coefficient n-octanol/water (Log Pow)	6.23 (at 25 °C (at pH 7)
.alphaPinene (80-56-8)	
Partition coefficient n-octanol/water (Log Pow)	4.1
Linalyl acetate (115-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)
Aldehyde C-16 (77-83-8)	
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

Additional information

: Avoid release to the environment.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Additional information Ecology - waste materials HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose of contents/container in accordance with local/national laws and regulations. Dispose in a safe manner in accordance with local/national regulations.
- : Handle empty containers with care because residual vapours are flammable.
- : Avoid release to the environment.
- : HP3 "Flammable:"
  - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
  - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
  - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
  - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
  - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
  - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Rosemary oil)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Rosemary oil)	Environmentally hazardous substance, liquid, n.o.s. (Rosemary oil)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Rosemary oil)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Rosemary oil)
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Rosemary oil), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Rosemary oil), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Rosemary oil), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Rosemary oil), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Rosemary oil), 9, III
14.3. Transport hazard o	class(es)			
9	9	9	9	9

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary informatio	n available			l

#### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR)

EAC code : •3Z

### Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 LP01, P001 Packing instructions (IMDG) Special packing provisions (IMDG) PP1 IBC packing instructions (IMDG) IBC03 Tank instructions (IMDG) T4 Tank special provisions (IMDG) TP1, TP29 EmS-No. (Fire) F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) Α

#### Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PCA max net quantity (IATA) : 450L CAO packing instructions (IATA) : 964 CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Rosemary Oil ; Cedar leaf oil ; d-Limonene ; .alpha Pinene ; .betaPinene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (F	EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description	
3(b)	Christmas Hearth #EU19772F; Cinnamic aldehyde; Rosemary Oil; Eugenol; Cedar leaf oil; Amyl cinnamic aldehyde; Dihydromyrcenol; Iso E Super; Hexyl cinnamic aldehyde; Hydroxy; Helional; Citral; d- Limonene; Patchouli oil; Benzyl benzoate; Linalyl acetate; Aldehyde C-16; Triplal (Vertocitral)	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	Christmas Hearth #EU19772F; Cinnamic aldehyde; Rosemary Oil; Cedar leaf oil; Amyl cinnamic aldehyde; Iso E Super; Verdox; Hexyl cinnamic aldehyde; Helional; d-Limonene; Patchouli oil; Benzyl benzoate; Hexamethylindanopyran; Benzyl acetate; Aldehyde C-16; Triplal (Vertocitral)	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	Rosemary Oil; Cedar leaf oil; d-Limonene; Camphene; .alphaPinene; .betaPinene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1). List of sensitizing substances (TRGS 907) : Contains sensitizing substances according TRGS 907.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Rosemary Oil, Triplal (Vertocitral) are listed

SZW-lijst van mutagene stoffen : Rosemary Oil, Triplal (Vertocitral) are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding

: None of the components are listed

SZW-lijst van reprotoxische stoffen -

: None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling : None of the components are listed

**Denmark** 

Class for fire hazard : Class III-1 Store unit 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

**Danish National Regulations** : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Other information : None.

Full text of H- and EUH	I-statements:
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Flam. Sol. 2	Flammable solids, Category 2
H226	Flammable liquid and vapour.
H228	Flammable solid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H361	Suspected of damaging fertility or the unborn child.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.